

Written test

Wednesday, September 2, 2020

Consider the following language on the two-symbol alphabet $\{0, 1\}$:

$$L = \{0^n 1^m \mid n, m \in \mathbb{N} \wedge n > m\}.$$

In plain terms, a string is in L if and only if it starts with a sequence of 0's followed by a (possibly empty) sequence of 1's and nothing else, with strictly more 0's than 1's.

Some examples:

$$\begin{array}{lll} 00011 \in L & 00111 \notin L & 0 \in L \\ 1 \notin L & 10 \notin L & 11000 \notin L \\ 0110100 \notin L & 0000 \in L & 0011 \notin L \\ & \varepsilon \notin L. & \end{array}$$

Exercise 1

1.1) Write down a one-tape deterministic Turing Machine \mathcal{M} on the three-symbol alphabet $\{0, 1, \sqcup\}$ that, given an input string $s \in \{0, 1\}^*$, decides $s \in L$.

You may assume that the input string s is surrounded by infinite blank cells \sqcup in both directions, and that the initial current position is the leftmost symbol of s .

1.2) What is the time complexity of your machine \mathcal{M} ?

More precisely: if n is the input size, what is the smallest exponent k such that $\mathcal{M} \in \text{DTIME}(n^k)$? Explain briefly.

Exercise 2

Prove that the language L belongs to the complexity class **L**.

Exercise 3

Is it always possible for an instructor to correctly evaluate a student's answer to 1.1? Explain.